

14 kW a**)**(is

GENERATOR SYSTEMS













FULLY AUTOMATIC 24/7

No refueling, manual operation, or extension cords needed

OUIETEST IN CLASS

Low-tone muffler design with custom sound baffling system

MORE FUEL EFFICIENT

Up to 13% better fuel economy than our top competitors









Innovative gullwing enclosure for easy installation and service

SUB ZERO/HIGH HEAT

24V starting system designed to operate from -22° to 104° F

10 YEAR WARRANTY

Longest standard warranty on the home standby market

/=>(?s

FASTER INSTALLS, LESS WIRING SAVE MORE TIME, SAVE MORE MONEY

- ▶ aXis is a programmable, upgradable home standby system that gives you access to more options...wirelessly
- ▶ Using Power Line Carrier technology **aXis** eliminates the need for communication wiring* from generator to switch and modules
- ▶ aXis load management allows you to use a smaller generator to manage larger residential homes
- ▶ Using aXis load management modules, loads can be assigned priority levels (1-4) allowing for customization on how the home's appliances are managed. Large electric loads can also be locked out entirely while under standby power
- ▶ aXis Wi-Fi technology allows for onsite setup from phone or tablet *Wiring for battery charging is required.

NEW DIGITAL CONTROLS

GENERATOR (HSB)		≢ SPECS
Watts (propane / natural gas)	14 kW / 12.5 kW	
Voltage (single phase)	120/240	
Amperage (120/240V)	116.6/58.3 (propane), 104/52 (natural gas)	
Harmonic distortion	Less than 5%	
Main line circuit breaker (A)	65	
Operational volume [db(A)]	62	
Frequency (Hz)	60	
Controls	Digital	NEW!
Weight (lb.)	439	
Dimensions L x W x H (in.)	49 x 28 x 28	

NEW SE ATS FAMILY WITH ADVANCED POWER MANAGEMENT

AUTOMATIC TRANSFER SWITCH [ATS]				
Rating	Service entrance, NEC		Service en	trance, CSA
Amperage (A)	200, 150, 100		200, 100	NEW!
Enclosure		NEMA 3R		
Material		Aluminum		NEW!
Setup		Wi-Fi (removable e	external antenna)	NEW!
Controls		Digital		NEW!
Power manageme	ent	Up to 4 priorities (multiple loads pe	r priority) NEW!
Dimensions H x V	/ x D (in.)	28 x 20 x 8.3		

NEW WIRELESS COMMUNICATION

LOAD MANAGEMENT MODULE (LMM) # SPEC		
Amperage rating (A)	50	
Enclosure rating	NEMA 3R	
Material	Aluminum	
Dimensions H x W x D (in.)	8.2 x 5.2 x 3.8	

